



लम्बी रेस का सच्चा साथी
ZEEPOL[®]
LUBRICANT

**All types of
Lubrication Oil &
Grease**

2 WHEELER OIL



ZEEPOL RACING 4T 20W-40

API SL, JASO MA2

Zeepol Racing 4T 20W-40 is universal oil for Engine, Clutch and Gear of Motorcycles. It is formulated to meet the performance requirements of OEMs. This is all season engine oil is specially developed to meet frictional requirements of latest high performance air-cooled 4 Stroke motorcycles.

AVAILABLE IN :

210 Ltr., 50 Ltr., 20 Ltr., 1 Ltr., 900 ml.



ZEEPOL PREMIUM RACING 4T 20W-40

API SM, JASO MA2

Zeepol Premium Racing 4T 20W-40 is a 3 in one ECG Motorcycle & Scooter Engine oil manufactured for all type of new generation air cooled Engines. It is Recommended for 10000 Kms. under ideal conditions. It also provides Excellent wear and oxidation protection & meets Valve Train wear requirements of API SM.

AVAILABLE IN :

210 Ltr., 50 Ltr., 20 Ltr., 1 Ltr., 900 ml.



ZEEPOL PREMIUM RACING 4T 20W-40

API SN, JASO MA2

Zeepol Engine Oil specially formulated for new generation 4-Stroke motorcycle & scooter engines. This universal lubricant provides excellent protection of engine, clutch & gear system. Benefits: The life boosting additives in 20W-40 Ensures • Maximum Power output • Provides excellent control for Deposit • Excellent wear and oxidation protection at high temperature.

AVAILABLE IN :

210 Ltr., 50 Ltr., 20 Ltr., 1 Ltr., 900 ml.

2 WHEELER OIL



ZEEPOL PREMIUM RACING 4T 10W-40

API SN, JASO MA2

Zeepol Engine Oil specially formulated for new generation 4-Stroke motorcycle & scooter engines. This universal lubricant provides excellent protection of engine, clutch & gear system. Benefits: The life boosting additives in 10W-40 Ensures • Maximum Power output • Provides excellent control for Deposit • Excellent wear and oxidation protection at high temperature.

AVAILABLE IN :

210 Ltr., 50 Ltr., 20 Ltr., 1 Ltr., 900 ml.



ZEEPOL PREMIUM RACING 4T 10W-30

API SN, JASO MA2

Zeepol Engine Oil specially formulated for new generation 4-Stroke motorcycle & scooter engines. This universal lubricant provides excellent protection of engine, clutch & gear system. Benefits: The life boosting additives in 10W-30 Ensures • Maximum Power output • Provides excellent control for Deposit • Excellent wear and oxidation protection at high temperature.

AVAILABLE IN :

210 Ltr., 50 Ltr., 20 Ltr., 1 Ltr., 900 ml, 800 ml.



ZEEPOL PREMIUM RACING 4-AT 5W-30

API SN, JASO MB

Zeepol Premium 4T 5W-30 a highest-quality engine oil meeting the latest JASO specifications, is specifically designed with advanced synthetic base oil and additives for modern four-stroke bikes. This high-performance oil helps maintain a cleaner engine and improves efficiency in bikes.

AVAILABLE IN :

210 Ltr., 50 Ltr., 20 Ltr., 1 Ltr., 900 ml, 600 ml.

2 WHEELER OIL



ZEEPOL BULLET RAJA 4T 15W-50

API SN, JASO MA2

Zeepol 15W-50 offers superior wear protection, excellent oxidation resistance, and improved oil film that keeps the engine running efficiently even under highly stressed engine operating conditions. The dedicated formulation ensures consistent power delivery to the motorcycle over extended periods.

AVAILABLE IN :

210 Ltr., 50 Ltr., 20 Ltr., 2.5 Ltr.



ZEEPOL SUPER 2T OIL

API TC JASO FC

Zeepol 2T is recommended for all types of 2 or 3 wheeler vehicles such as moped, scooter & motor cycle and three wheelers etc. and outboard boats fitted with 2 stroke petrol engines/ CNG gas. It is also suitable for small petrol engines used in pumps and small generators.

AVAILABLE IN :

210 Ltr., 50 Ltr., 5 Ltr., 1 Ltr., 500 ml.



ZEEPOL FRONT FORK OIL

Zeepol Front Fork Oil is a premium blend, specially formulated to provide superior performance in motorcycle front forks and shock absorbers. Suitable for both on-road and off-road usage. It provides excellent protection against oxidation, corrosion, foaming and wear.

AVAILABLE IN :

350 ml, 175 ml.

4 WHEELER OIL



ZEEPOL SUPER CNG 20W-50

API SL

Zeepol Super CNG 20W-50 is the latest technology passenger car motor oil type engine oil developed for old and new generation cars powered by petrol engines

AVAILABLE IN :

210 Ltr., 50 Ltr., 20 Ltr., 4 Ltr., 3.5 Ltr.,
3 Ltr., 1 Ltr., 500 ml.



ZEEPOL DYNAMIC 10W-40

API SL

Zeepol 10W-40 engine oil is formulated from premium quality virgin base oils to bring out the best engine performance of new and older passenger vehicles. It provides excellent sludge and deposit control. A robust anti-friction additive helps protect the engine parts on cold starts and resists oil degradation throughout the recommended oil drain interval.

AVAILABLE IN :

210 Ltr., 50 Ltr., 4.5 Ltr., 4 Ltr., 3.5 Ltr.,
3 Ltr., 1 Ltr., 500 ml.



ZEEPOL DYNAMIC 10W-30

API SN

Zeepol 10W-30 engine oil is formulated from premium quality virgin base oils to bring out the best engine performance of new and older passenger vehicles. It provides excellent sludge and deposit control. A robust anti-friction additive helps protect the engine parts on cold starts and resists oil degradation throughout the recommended oil drain interval.

AVAILABLE IN :

210 Ltr., 50 Ltr., 4 Ltr., 3.5 Ltr.,
3 Ltr., 1 Ltr.

4 WHEELER OIL



ZEEPOL DYNAMIC 5W-30

API SN

Dynamic 5W-30 is synthetic engine oil developed for new generation Passenger cars powered with Petrol as well as Diesel Engines where API SN oil is recommended by OEMs. Specially blended from synthetic base oils and performance proven additives to exceed the specified performance level.

AVAILABLE IN :

210 Ltr., 50 Ltr., 5 Ltr., 4.5 Ltr.,
3.5 Ltr., 3 Ltr., 1 Ltr.



लम्बी रेस का सच्चा साथी
ZEEPOL®
LUBRICANT

**All types of
Lubrication Oil & Grease**



ZEEPOL DYNAMIC 5W-40

API SN

Dynamic 5W-40 is synthetic engine oil developed for new generation Passenger cars powered with Petrol as well as Diesel Engines where API SN oil is recommended by OEMs. Specially blended from synthetic base oils and performance proven additives to exceed the specified performance level.

AVAILABLE IN :

210 Ltr., 50 Ltr., 4.5 Ltr., 4 Ltr.,
3.5 Ltr., 3 Ltr., 1 Ltr.

DIESEL ENGINE OIL



ZEEPOL HD 3000 20W-40

API CF-4

Multigrade Diesel Engine oil for use in new generation Diesel Engines meeting BS I / EURO I emission norms. Suitable for use in both naturally aspirated and Turbo Charged Diesel Engines operating under severe service conditions. It is formulated with latest additive technology that guarantees to extend engine life.

AVAILABLE IN :

210 Ltr., 50 Ltr., 20 Ltr., 10 Ltr., 7.5 Ltr., 5 Ltr.,
3.5 Ltr., 3 Ltr., 1 Ltr., 500 ml.



ZEEPOL HD 5000 15W-40

API CF-4

Zeepol 15W-40 is recommended for use in diesel engines meeting BS I and BS II standards of emission for vehicles such as heavy duty trucks, buses, LCVs, SUVs and diesel passenger cars. It is suitable for diesel engines requiring oils such as CF-4, CF and CD performance.

AVAILABLE IN :

210 Ltr., 50 Ltr., 20 Ltr., 15 Ltr., 10 Ltr., 7.5 Ltr., 5 Ltr., 4 Ltr.,
3.5 Ltr., 3 Ltr., 1 Ltr., 500 ml.



ZEEPOL HD 7000 15W-40

API CH-4

Multi-Grade Diesel Engine Oil Suitable for use in both naturally aspirated and Turbocharged Diesel Engines operating under severe service conditions. Extended drain oil for Diesel Engines meeting BS II and BS III Emission norms.

AVAILABLE IN :

210 Ltr., 50 Ltr., 20 Ltr., 15 Ltr., 10 Ltr., 7.5 Ltr., 5 Ltr., 4 Ltr.,
3.5 Ltr., 3 Ltr., 1 Ltr., 500 ml.

DIESEL ENGINE OIL



ZEEPOL HD 9000 15W-40

API CI-4 PLUS

Zeepol CI-4 Plus 15W-40 is formulated with Succinimol Technology. Suitable for use in both naturally aspirated and turbo charged diesel engines. Recommended as extended drain service engine oil for modern, low emission diesel engine meeting BS IV/ EURO IV emission norms.

AVAILABLE IN :

210 Ltr., 50 Ltr., 20 Ltr., 15 Ltr., 10 Ltr., 7.5 Ltr., 5 Ltr., 4 Ltr., 3.5 Ltr., 3 Ltr., 1 Ltr., 500 ml.



ZEEPOL HD 11000 10W-30

API CK-4

Zeepol 10W-30 CK-4 provides unmatched protection for engines meeting BS VI emission norms, and equipped with Exhaust Gas Recirculation (EGR), Diesel Particulate Filters (DPF), and Selective Catalytic Reduction (SCR) emission control technologies. Designed to lubricate a wide range of high-speed diesel engines.

AVAILABLE IN :

210 Ltr., 50 Ltr., 15 Ltr., 1 Ltr.



ZEEPOL HD 11000 15W-40

API CK-4

Zeepol 15W-40 CK-4 is advanced synthetic blend combined with latest additive technology, provides unmatched protection for engines meeting BS VI /Euro VI emission norms equipped with Exhaust Gas Recirculation (EGR), Diesel Particulate Filters (DPF), and Selective Catalytic Reduction (SCR) emission control technologies.

AVAILABLE IN :

210 Ltr., 50 Ltr., 15 Ltr., 1 Ltr.

GEAR & TRANSMISSION OIL



ZEEPOL GEAR OIL EP-90

API GL-4

Extreme pressure hypoid gear oil designed to provide effective lubrication in wide range of automotive transmission and axle drives. Gear box oil of this type are recommended by motor vehicle and gear box manufacturers for use in synchromesh and non synchromesh manual gearboxes, power units for building machinery, agricultural machinery.

AVAILABLE IN :

210 Ltr., 50 Ltr., 26 Ltr., 20 Ltr., 10 Ltr.,
5 Ltr., 1 Ltr., 500 ml.



ZEEPOL GEAR OIL EP-140

API GL-4

Zeepol Gear EP 140 is hypoid gear oil formulated to give good oxidation stability for long service life. This oil contains EP additives to withstand high temperature and pressure encountered during power transmission. It also contains pour point depressant to prevent the lubricant from channeling at low temperature.

AVAILABLE IN :

210 Ltr., 50 Ltr., 26 Ltr., 20 Ltr., 10 Ltr.,
5 Ltr., 1 Ltr., 500 ml.



ZEEPOL CROWN PRO 80W-90

API GL-5

Extreme pressure hypoid gear oil designed to provide effective lubrication in wide range of automotive transmission and axle drives. Gear box oil of this type are recommended by motor vehicle and gear box manufacturers for use in synchromesh and non synchromesh manual gearboxes, power units for building machinery.

AVAILABLE IN :

210 Ltr., 50 Ltr., 20 Ltr., 10 Ltr., 7 Ltr.,
5 Ltr., 2.5 Ltr., 1 Ltr.

GEAR & TRANSMISSION OIL



ZEEPOL REAR AXLE OIL 85W140

API GL-5

Zeepol 85W-140 oil is extreme pressure gear lubricant of heavy duty type. It conforms to API Service Classification GL-5 and other performance requirements. 85W-140 is formulated with high performance additive system for complete protection under heavy load application.

AVAILABLE IN :

210 Ltr., 50 Ltr., 26 Ltr., 20 Ltr., 12 Ltr., 10 Ltr.,
5 Ltr., 1 Ltr.



ZEEPOL AUTO TRANS 75W-90

API GL-5

75W-90 is a semi-synthetic oil for mechanical transmissions, formulated with high quality solvent refined and synthetic base oils and special EP additives to obtain the following properties:

- Excellent resistance against oxidation
- Low pour point
- Very good EP-properties
- Fuel economy

AVAILABLE IN :

210 Ltr., 50 Ltr., 20 Ltr., 10 Ltr.,
5 Ltr., 2.5 Ltr., 1 Ltr.



ZEEPOL ATF AUTO TRANSMISSION OIL

G.M. TYPE A SUFFIX "A"

Zeepol ATF is formulated to meet General motors ATF Type A Suffix A Specifications. Ideal for automatic transmission and power steering units manufactured by ZF, Rane etc. where TYPE A is specified. It is also recommended for manual transmission and hydraulic systems where such type of fluid is specified.

AVAILABLE IN :

210 Ltr., 50 Ltr., 20 Ltr., 10 Ltr.,
5 Ltr., 1 Ltr., 500 ml.

COOLANT



ZEEPOL COOL GUARD RADIATOR COOLANT

Zeepol Cool Guard is a 1:4 Concentrate based on Glycol OAT Technology. 1:4 reflects one portion of Coolant with 3 Similar Portions of Water. Provides trouble free protection in all weather conditions round the year.

AVAILABLE IN :

210 Ltr., 50 Ltr., 20 Ltr., 10 Ltr., 5 Ltr.
3 Ltr., 1 Ltr.

HYDRAULIC OIL



ZEEPOL ANTI WEAR HYDROL VG-32

Recommended for automotive and industrial hydraulic equipment's operating under heavy duty conditions.
Recommended for circulating systems and other enclosed systems like bearing and gears of general machinery.

AVAILABLE IN :

210 Ltr., 50 Ltr., 26 Ltr., 20 Ltr.,
10 Ltr., 5 Ltr.



ZEEPOL ANTI WEAR HYDROL VG-46

Recommended for automotive and industrial hydraulic equipment's operating under heavy duty conditions.
Recommended for circulating systems and other enclosed systems like bearing and gears of general machinery.

AVAILABLE IN :

210 Ltr., 50 Ltr., 26 Ltr., 20 Ltr.,
10 Ltr., 5 Ltr.

HYDRAULIC OIL



ZEEPOL ANTI WEAR HYDROL VG-68

Recommended for automotive and industrial hydraulic equipment's operating under heavy duty conditions.

Recommended for circulating systems and other enclosed systems like bearing and gears of general machinery.

AVAILABLE IN :

210 Ltr., 50 Ltr., 26 Ltr., 20 Ltr.,
10 Ltr., 5 Ltr.



ZEEPOL ANTI WEAR HYDROL HLP-32

HLP-32 Blended with severely hydro processed base oils and advanced additive system, they provide enhanced protection to hydraulic components compared to conventional hydraulic oil.

AVAILABLE IN :

210 Ltr., 50 Ltr., 26 Ltr., 20 Ltr.,
10 Ltr., 5 Ltr.



ZEEPOL ANTI WEAR HYDROL HLP-46

HLP-46 Blended with severely hydro processed base oils and advanced additive system, they provide enhanced protection to hydraulic components compared to conventional hydraulic oil.

AVAILABLE IN :

210 Ltr., 50 Ltr., 26 Ltr., 20 Ltr.,
10 Ltr., 5 Ltr.

HYDRAULIC OIL



ZEEPOL ANTI WEAR HYDROL HLP-68

HLP-68 Blended with severely hydro processed base oils and advanced additive system, they provide enhanced protection to hydraulic components compared to conventional hydraulic oil.

AVAILABLE IN :

210 Ltr., 50 Ltr., 26 Ltr., 20 Ltr.,
10 Ltr., 5 Ltr.



ZEEPOL HARMONY AW-100

Zeepol Harmony AW 100 Hydraulic Oil is an excellent quality, highly reliable, zinc-containing industrial anti-wear hydraulic oils formulated from high-quality base oils and carefully selected performance additives that offer full protection against oxidation degradation, rust, corrosion and wear.

AVAILABLE IN :

210 Ltr., 50 Ltr., 26 Ltr., 20 Ltr.,
10 Ltr., 5 Ltr.



ZEEPOL HARMONY AW-150

Zeepol Harmony AW 150 thermo-oxidative stability minimises sludge & varnish formation and resists oil degradation leading to longer service life. Excellent demulsibility helps in faster separation of water from oil. Special rust & corrosion inhibitors protect critical components even in severe operating conditions.

AVAILABLE IN :

210 Ltr., 50 Ltr., 26 Ltr., 20 Ltr.,
10 Ltr., 5 Ltr.

HYDRAULIC OIL



ZEEPOL HARMONY AW-220

Zeepol Harmony AW 220 series are premium quality multipurpose lubricating oils intended for use in hydraulic systems in industrial and mobile service, compressors, turbines, circulating systems and spur, helical, bevel & worm gearboxes where R&O type of oils are required. These oils are blended from high quality base oils and a proven additive system to provide superior oxidation stability

AVAILABLE IN :

210 Ltr., 50 Ltr., 26 Ltr., 20 Ltr.,
10 Ltr., 5 Ltr.



ZEEPOL HARMONY AW-320

Zeepol Harmony AW 320 is excellent thermo oxidative stability controls the formation of sludge & varnish and improves oil life. Exceptional anti-wear property results in longer pump and component life and reduces costs. Superior demulsibility helps in faster separation of water from oil and resists formation of emulsions.

AVAILABLE IN :

210 Ltr., 50 Ltr., 26 Ltr., 20 Ltr.,
10 Ltr., 5 Ltr.



ZEEPOL HARMONY AW-460

Zeepol Harmony AW 460 is excellent thermo oxidative stability controls the formation of sludge & varnish and improves oil life. Exceptional anti-wear property results in longer pump and component life and reduces costs. Superior demulsibility helps in faster separation of water from oil and resists formation of emulsions.

AVAILABLE IN :

210 Ltr., 50 Ltr., 26 Ltr., 20 Ltr.,
10 Ltr., 5 Ltr.

INDUSTRIAL OIL



ZEEPOL TECHNO EP-100

Zeepol EP 100 is a premium quality heavy duty circulating oils designed for lubricating gears and bearings. It is formulated with high quality severely hydroprocessed mineral base oils and a high performance ashless additive system designed to provide outstanding antioxidant property,

AVAILABLE IN :

210 Ltr., 50 Ltr., 20 Ltr.,
10 Ltr., 5 Ltr.



ZEEPOL TECHNO EP-150

Zeepol EP 150 is a premium quality heavy duty circulating oils designed for lubricating gears and bearings. It is formulated with high quality severely hydroprocessed mineral base oils and a high performance ashless additive system designed to provide outstanding antioxidant property,

AVAILABLE IN :

210 Ltr., 50 Ltr., 20 Ltr.,
10 Ltr., 5 Ltr.



ZEEPOL TECHNO EP-220

Zeepol EP 220 is a premium quality heavy duty circulating oils designed for lubricating gears and bearings. It is formulated with high quality severely hydroprocessed mineral base oils and a high performance ashless additive system designed to provide outstanding antioxidant property,

AVAILABLE IN :

210 Ltr., 50 Ltr., 20 Ltr.,
10 Ltr., 5 Ltr.

INDUSTRIAL OIL



ZEEPOL TECHNO EP-320

Zeepol EP 320 is a premium quality heavy duty circulating oils designed for lubricating gears and bearings. It is formulated with high quality severely hydroprocessed mineral base oils and a high performance ashless additive system designed to provide outstanding antioxidant property,

AVAILABLE IN :

210 Ltr., 50 Ltr., 20 Ltr.,
10 Ltr., 5 Ltr.



ZEEPOL TECHNO EP-460

Zeepol EP 460 is a premium quality heavy duty circulating oils designed for lubricating gears and bearings. It is formulated with high quality severely hydroprocessed mineral base oils and a high performance ashless additive system designed to provide outstanding antioxidant property,

AVAILABLE IN :

210 Ltr., 50 Ltr., 20 Ltr.,
10 Ltr., 5 Ltr.



ZEEPOL TECHNO EP-680

Zeepol EP 680 is a premium quality heavy duty circulating oils designed for lubricating gears and bearings. It is formulated with high quality severely hydroprocessed mineral base oils and a high performance ashless additive system designed to provide outstanding antioxidant property,

AVAILABLE IN :

210 Ltr., 50 Ltr., 20 Ltr.,
10 Ltr., 5 Ltr.

INDUSTRIAL OIL



ZEEPOL SPINDLE OIL SPIN-10

Zeepol Spin 10 is a range of high quality spindle lubricants for use on modern textiles machines. Manufactured from the highest quality base stocks and ashless additives, it reduces spindle wear, protect against rust and may be easily removed by washing if textile contamination occurs.

AVAILABLE IN :

210 Ltr., 50 Ltr., 20 Ltr.,
10 Ltr., 5 Ltr.



ZEEPOL SPINDLE OIL SPIN-12

Zeepol Spin 12 is a range of high quality spindle lubricants for use on modern textiles machines. Manufactured from the highest quality base stocks and ashless additives, it reduces spindle wear, protect against rust and may be easily removed by washing if textile contamination occurs.

AVAILABLE IN :

210 Ltr., 50 Ltr., 20 Ltr.,
10 Ltr., 5 Ltr.



ZEEPOL SPINDLE OIL SPIN-22

Zeepol Spin 22 is a range of high quality spindle lubricants for use on modern textiles machines. Manufactured from the highest quality base stocks and ashless additives, it reduces spindle wear, protect against rust and may be easily removed by washing if textile contamination occurs.

AVAILABLE IN :

210 Ltr., 50 Ltr., 20 Ltr.,
10 Ltr., 5 Ltr.

AGRICULTURAL OIL



ZEEPOL UTTO WET BRAKE OIL

Zeepol Universal Tractor Transmission Oil is recommended for use in most modern industrial and tractor transmission, final drives and hydraulic systems including wet brake and power take off. It can also be used in transmission functions of off-highway equipments, construction & quarrying equipments.

AVAILABLE IN :

210 Ltr., 50 Ltr., 26 Ltr., 20 Ltr.,
10 Ltr., 5 Ltr.



ZEEPOL PUMPSET 20W-40

Zeepol Pumpset 20W-40 is a monograde diesel engine oil blended from high quality base oils and chosen additives. This oil is formulated to perform under very harsh operating conditions of diesel engines and offers superior protection to the engine components. It ensures trouble-free operation of engines.

AVAILABLE IN :

210 Ltr., 50 Ltr., 20 Ltr., 10 Ltr.,
5 Ltr., 3.5 Ltr.



लम्बी रेस का सच्चा साथी
ZEEPOL®
LUBRICANT

Zeepol Lubricants Pvt. Ltd.

Reg. Add.: 129-130, Intercity Shopping Center,
Nr. Kiran Motor, Puna Kumbhariya Road,
Surat-395010, Gujarat (IND).

Customer Care No.: +91 98794 07000

Email : zeepollubricant@yahoo.com

www.zeepollubricant.com



लम्बी रेस का सच्चा साथी
ZEEPOL[®]
LUBRICANT

